

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	252	(kazuo with onishi).in.	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2010/04/20 09:18
L2	84	(shingo with sewa).in.	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2010/04/20 09:18
L3	304	1 or 2	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2010/04/20 09:18
L4	9	3 and (lamine with actuator)	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2010/04/20 09:19
L5	11	"943402"	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2010/04/20 09:21
L6	46	3 and actuator	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2010/04/20 09:21
L7	37	6 not 4	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2010/04/20 09:21
L8	1	(EP-943402-\$).did.	EPO	ADJ	ON	2010/04/20 09:23
L9	1	(EP-943402-\$).did.	DERWENT	ADJ	ON	2010/04/20 09:23
L10	1	10/525202	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2010/04/20 10:22
L11	1	10 and "51"	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2010/04/20 10:22
L12	1	10/525202 and thick\$6	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2010/04/20 11:10
L13	0	"56036873"	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2010/04/20 11:16
L14	13	"5636873"	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2010/04/20 11:16

L15	1	"3351487".pn.	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2010/04/20 11:17
L16	0	"3351487".pn. and thick\$7	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2010/04/20 11:19
L17	1	"3351487".pn. and thick\$7	US-PGPUB; USPAT; USOCR; EPO; JPO	ADJ	ON	2010/04/20 11:19
L18	48	(polymer or solid) near4 electrolyte and actuator same thick\$7 with mm	US-PGPUB; USPAT; USOCR; EPO; JPO	ADJ	ON	2010/04/20 11:26
L19	150	(polymer or polymeric) actuator and thick\$7 with mm	US-PGPUB; USPAT; USOCR; EPO; JPO	ADJ	ON	2010/04/20 11:31
L20	61	(polymer or polymeric) actuator and thick\$7 with cm	US-PGPUB; USPAT; USOCR; EPO; JPO	ADJ	ON	2010/04/20 11:31
L21	1	"6936955".pn. and electrode	US-PGPUB; USPAT; USOCR; EPO; JPO	ADJ	ON	2010/04/20 11:36
L22	1	"5556700".pn. and electrode	US-PGPUB; USPAT; USOCR; EPO; JPO	ADJ	ON	2010/04/20 11:38
L23	1	"5556700".pn. and electrode and thickness	US-PGPUB; USPAT; USOCR; EPO; JPO	ADJ	ON	2010/04/20 11:38
L24	1	"5556700".pn. and electrode and thick	US-PGPUB; USPAT; USOCR; EPO; JPO	ADJ	ON	2010/04/20 11:39
L25	0	"5556700".pn. and electrode and preferably same cm	US-PGPUB; USPAT; USOCR; EPO; JPO	ADJ	ON	2010/04/20 11:39
L26	1	"5556700".pn. and electrode and cm	US-PGPUB; USPAT; USOCR; EPO; JPO	ADJ	ON	2010/04/20 11:39

L27	1	"5556700".pn. and electrode and "1 cm"	US-PGPUB; USPAT; USOCR; EPO; JPO	ADJ	ON	2010/04/20 11:39
L28	0	"5556700".pn. and cation	US-PGPUB; USPAT; USOCR; EPO; JPO	ADJ	ON	2010/04/20 11:42
L29	0	"5556700".pn. and exchange	US-PGPUB; USPAT; USOCR; EPO; JPO	ADJ	ON	2010/04/20 11:42
L30	1	"5556700".pn. and electrochemical	US-PGPUB; USPAT; USOCR; EPO; JPO	ADJ	ON	2010/04/20 11:42
L31	0	actuator with thickness with cm and actuator same cation	US-PGPUB; USPAT; USOCR; EPO; JPO	ADJ	ON	2010/04/20 11:43
L32	267	actuator with thickness with cm	US-PGPUB; USPAT; USOCR; EPO; JPO	ADJ	ON	2010/04/20 11:43
L33	32	actuator with thickness with cm and cation	US-PGPUB; USPAT; USOCR; EPO; JPO	ADJ	ON	2010/04/20 11:43
L34	4	actuator with thickness with cm and ion exchange	US-PGPUB; USPAT; USOCR; EPO; JPO	ADJ	ON	2010/04/20 11:44
L35	267	actuator with thickness with cm	US-PGPUB; USPAT; USOCR; EPO; JPO	ADJ	ON	2010/04/20 11:44
L36	35	actuator with thickness near3 cm	US-PGPUB; USPAT; USOCR; EPO; JPO	ADJ	ON	2010/04/20 11:44
L37	0	(polymer or polymeric) near3 actuator and membrane with thickness near3 cm	US-PGPUB; USPAT; USOCR; EPO; JPO	ADJ	ON	2010/04/20 11:49
L38	0	(polymer or polymeric) near3 actuator and membrane same thickness near3 cm	US-PGPUB; USPAT; USOCR; EPO; JPO	ADJ	ON	2010/04/20 11:49

L39	21	(polymer or polymeric) near3 actuator and thickness near3 cm	US-PGPUB; USPAT; USOCR; EPO; JPO	ADJ	ON	2010/04/20 11:49
L40	1587	(polymer or polymeric) near3 actuator and thickness	US-PGPUB; USPAT; USOCR; EPO; JPO	ADJ	ON	2010/04/20 12:11
L41	113	(polymer or polymeric) near3 actuator and thick\$7 with membrane	US-PGPUB; USPAT; USOCR; EPO; JPO	ADJ	ON	2010/04/20 12:12
L42	14880	actuator and thick\$7 near4 (adjust or adjusted or adjustable or adjusting or depend \$6)	US-PGPUB; USPAT; USOCR; EPO; JPO	ADJ	ON	2010/04/20 13:01
L43	1727	actuator same thick\$7 near4 (adjust or adjusted or adjustable or adjusting or depend \$6)	US-PGPUB; USPAT; USOCR; EPO; JPO	ADJ	ON	2010/04/20 13:01
L44	114	actuator same thick\$7 near4 (adjust or adjusted or adjustable or adjusting or depend \$6) and polymer near3 actuator	US-PGPUB; USPAT; USOCR; EPO; JPO	ADJ	ON	2010/04/20 13:03
L45	38	"5556700"	US-PGPUB; USPAT; USOCR; EPO; JPO	ADJ	ON	2010/04/20 13:13
L46	1	"5556700".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO	ADJ	ON	2010/04/20 13:13
L47	48	44 not "347".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO	ADJ	ON	2010/04/20 13:13
L48	3653	"310".clas. and (thick or thickness) with (depend\$6 or adjus or adjusting or adjustable or adjusted)	US-PGPUB; USPAT; USOCR; EPO; JPO	ADJ	ON	2010/04/20 13:22

L49	11	"310".clas. and (thick or thickness) with (depend\$6 or adjus or adjusting or adjustable or adjusted) same3 polymer near4 actuator	US-PGPUB; USPAT; USOCR; EPO; JPO	ADJ	ON	2010/04/20 13:25
L50	84	"310".clas. and (thick or thickness) with (depend\$6 or adjus or adjusting or adjustable or adjusted) and polymer near4 actuator	US-PGPUB; USPAT; USOCR; EPO; JPO	ADJ	ON	2010/04/20 13:25
L51	73	50 not 49	US-PGPUB; USPAT; USOCR; EPO; JPO	ADJ	ON	2010/04/20 13:27
L52	38	"5556700"	US-PGPUB; USPAT; USOCR; EPO; JPO	ADJ	ON	2010/04/20 13:39
L53	22	52 and thickness	US-PGPUB; USPAT; USOCR; EPO; JPO	ADJ	ON	2010/04/20 13:39
L54	19	53 and actuator	US-PGPUB; USPAT; USOCR; EPO; JPO	ADJ	ON	2010/04/20 13:42
L55	1	"5556700".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO	ADJ	ON	2010/04/20 13:44
L56	1	10/525202 and mm	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2010/04/20 13:50
L57	1	"4692360".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO	ADJ	OFF	2010/04/20 14:14

4/20/2010 2:17:11 PM

C:\Documents and Settings\zbest\My Documents\EAST\Workspaces\10525202.wsp